

# INDEX MAPS.

**T.29N. R.15E. 2<sup>nd</sup> Mer.**

	2	2	3	3	3					
5	6	9	5	13	4	18	3	22	2	1
	9		13		17		22	22		
5	7	9	8	13	9	17	10	22	11	12
	8		12		17		21	21		
5	18	8	17	12	16	16	15	21	14	13
	8		12		16		20	21		
4	19	7	20	11	21	15	22	20	23	24
	7		11		15		19	20		
4	30	6	29	11	28	15	27	19	26	25
	6		10		14		18	19		
4	31	6	32	10	33	14	34	18	35	36
	1		1		1		1	2		

**T.30N. R.15E. 2<sup>nd</sup> Mer.**

	26		26		27		27		27		
29	6	32	5	37	4	41	3	46	2	1	
	32		36		41		46	46			
29	7	32	8	36	9	40	10	45	11	12	
	31		36		40		45	45			
28	18	31	17	35	16	40	15	44	14	13	
	not run		35		39		44	44			
28	19	31	20	34	21	39	22	43	23	24	
	30		34		38		43	43			
28	30	30	29	34	28	38	27	42	26	25	
	29		33		37		42	42			
27	31	29	32	33	33	37	34	41	35	36	
	25		25		25		25	26			

The figures on the lines refer to the page.

Township N 30 North of Range N 15 East of T. 25<sup>th</sup> Meridian

South Boundary

East On South Boundary of Sec 31 sur 68° 40' E.

15.50 A Creek 100 links wide; Course N E.

40.00 Set a gr. Sec post. from which  
a Beech 12 in. diam. bears S. 45 E. 9 links dist. &  
a Red Oak 10 " " " N. 72 W. 8 " "

80.00 Set a post Corner to Sec. 31 + 32 from which  
a Sugar 13 in. diam. bears N. 13 E. 10 links dist. &  
a Beech 20 " " " N. 62 W. 29 " "

Land 2<sup>nd</sup> rate. Timber. Elm, Beech,  
Sugar, Hickory, Walnut, &c. Undergrowth  
Undergrowth, Spice, &c.

---

East On South Boundary of Sec 32

40.00 Set a gr. Sec post. from which  
a B. Ash 6 in. diam. bears N. 29 E. 26 lks. dist. &  
a Do. 10 " " " N. 48 W. 36 " "

42.00 To a bad Creek. line runs down same

54.50 Left the Creek N. E.

80.00 Set a post Corner to Sec. 32 + 33 from which  
a Beech 15 in. diam. bears N. 50 W. 38 links dist. &  
a Red Oak 28 " " " N. 36 E. 39 " "

Land 2<sup>nd</sup> rate. Timber. B + W Ash, Elm,  
Lynn, Beech, Sugar, Hickory, Walnut,  
&c. Undergrowth. Spice, &c.

---

East On South Boundary of Sec 33

40.00 Set a gr. Sec post. from which  
an Elm 20 in. diam. bears N. 5 W. 20 links dist. &  
a Do 24 " " " N. 63 E. 54 " "

80.00 Set post Corner to Sec. 33 + 34 from which  
a B. Ash 12 in. diam. bears N. 12 W. 30 lks. dist. &  
a Beech 14 " " " N. 20 E. 49 " "

Land not described

---

East On South Boundary of Sec 34.

## T 30 N. R. 15 E 2nd Mer. Indiana

40.00 Set a gr. Sec. post. from which  
 a B. Ash 20 in. diam. bears N. 10 E. 11 links dis. &  
 a Do 16 " " " N. 40 W. 18 " "  
 80.00 Set a post Corner to Sec. 34 & 35 from which  
 a B. Ash 10 in. diam. bears N. 46 E. 60 links dis. &  
 an Elm 12 " " " N. 54 W. 20 " "  
 Land 3<sup>d</sup> rate. Timber. B. & W. Ash, Elm,  
 Linn. Beech. Sugar. Sycamore. &c.

East On North Boundary of Sec 35  
 10.82 Intersect State line and  
 Set a post. Cor. to Towns 29 & 30. Sec. 2 & 35  
 from which  
 a Burr Oak 15 in. diam. bears S. 38 W. 2 lks. dis. &  
 an Elm 26 " " " N. 56 W. 6 " "  
 Land 3<sup>d</sup> rate.

North Boundary var. 6<sup>th</sup> 30<sup>th</sup> E  
 East On South Boundary of Sec 30 T 31 N. R. 15 E.  
 40.00 Set a gr. Sec post. from which  
 a B. Ash 6 in. diam. bears N. 20 E. 12 links dis. &  
 a Cottonwood 14 in. " " N. 30 W. 18 " "  
 80.00 Set a post Corner to Sec. 31 & 32 from which  
 a W. Ash 15 in. diam. bears N. 12 W. 9 links dis. &  
 an Elm 14 " " " N. 20 E. 21 " "  
 Land 3<sup>d</sup> rate. Timber. W. Ash, B. Ash,  
 Elm, &c.

East On North Boundary of Sec 32 T 31 N. R. 15 E  
 40.00 Set a gr. Sec post. from which  
 a Linn 16 in. diam. bears N. 55 W. 15 links dis. &  
 a W. Ash 14 " " " N. 60 E. 19 " "  
 80.00 Set a post Corner to Sec. 32 & 33 from which  
 a Linn 10 in. diam. bears N. 38 W. 25 links dis. &  
 a Red Oak 8 in. " " N. 59 E. 9 " "  
 Land 3<sup>d</sup> rate. Timber. B. Ash. Elm. Linn. Hick<sup>ry</sup> &c.

T 30 N. R 15 E 2nd Mer. Indiana, 27

East On South Boundary of Sec. 33 T 31 N. R 15 E.  
 40.00 Set a gr. Sec. post. from which  
 a Maple 18 in. diam. bears N. 48 W. 32 links dist. &  
 a Do 14 " " " N. 20 E 21 " "  
 80.00 Set a post Corner to Sec. 33 + 34 from which  
 a B. Ash 14 in. diam. bears N. 46 E. 4 links dist. &  
 a Sycamore 12 " " " N. 51 W. 25 " "  
 Land 3<sup>d</sup> rate. very wet Timber. B. Ash.  
 Maple. Sycamore. &c. &c.

East On South Boundary of Sec 34 T 31 N. R 15 E.  
 40.00 Set a gr. Sec. post. from which  
 a B. Ash 10 in. diam. bears N. 45 E. 10 links dist. &  
 a Do 14 " " " N. 61 W. 13 " "  
 80.00 Set a post Corner to Sec. 34 + 35 from which  
 a B. Ash 8 in. diam. bears N. 21 W. 7 links dist. &  
 a Do 7 " " " N. 55 E 5 " "  
 Land B. Ash Swamp. Timber. B. Ash.  
 Maple. Aspin. &c.

East On South Boundary of Sec 35 T 31 N. R. 15 E.  
 28.28 Intersect State line + Set post Corner to Towns  
 30 + 31 + Sec. 1 + 35. from which  
 a B. Ash 12 in. diam. bears S. 68 W. 10 links dist. &  
 a Do 8 " " " N. 57 W 9 " "  
 Measured South on the State line to the  
 Corner of Sections 30 + 31. Town 2 N. R. 1 E.  
 of 1<sup>st</sup> Mer. in the State of Ohio.

Surveyed by  
 James Riley D.S.

West Boundary. var. 5° 45' E.  
 North On East Boundary of Sec 36 T 30 N R 14 E  
 30.50 A Lymn 20 in. diam.  
 40.00 Set a gr. Sec. post from which  
 a Buck 20 in. diam. bears N. 17 W. 36 links dist. &



## T 30 N. R 15 E Ind. Mer. Indiana.

80.00 a Sugar 14 in. diam. bears N. 79 W. 15 links dist. &  
 Set a post Corner to Sec. 25 & 36 from which  
 a Sycamore 30 in. diam. bears S. 16 E. 14 links dist. &  
 a Hickory 14 " " " N. 41 W. 31 " "  
 Land not described

North  
 40.00 On East Boundary of Sec. 25 T 30 N. R 14 E  
 Set a gr. Sec post. from which  
 an Ash 8 in. diam. bears S. 4 E 14 links dist. &  
 a Do 14 " " " N. 18 W. 16 " "  
 80.00 Set a post Corner to Sec. 24 & 25 from which  
 an Ash 8 in. diam. bears N. 33 E. 16 links dist. &  
 a Hickory 24 in. " " S 1 E 14 " "  
 Land not described

North  
 40.00 On East Boundary of Sec. 24 T 30 N. R 14 E.  
 Set a gr. Sec post. from which  
 an Ash 18 in. diam. bears S. 7 W. 8 links dist. &  
 a Do 14 " " " N. 1 E. 13 " "  
 80.00 Set a post Corner to Sec. 13 & 24 from which  
 a Hickory 10 in. diam. bears N. 28 W. 9 links dist. &  
 a Spruce 20 " " " S. 41 E. 28 " "  
 Land not described.

North  
 27.75 On East Boundary of Sec. 13 T 30 N. R 14 E.  
 An Oak 30 in. diam.  
 40.00 Set a gr. Sec post. from which  
 an Ash 10 in. diam. bears S. 70 E. 4 links dist. &  
 a Do 8 " " " N. 38 W. 7 " "  
 45.00 Enter Swamp E & W.  
 75.00 Dry Land.  
 80.00 Set a post Corner to Sec. 12 & 13 from which  
 an Ash 10 in. diam. bears S. 25 W. 5 links dist. &  
 a Do 8 " " " N. 34 E. 13 " "  
 Over Swampy Land.

North On East Boundary of Sec. 12 T 30 N. R 14 E.

40.00 Set a gr. Sec. post. from which

an Ash 4 in. diam. bears S. 35 E. 5 links dist. &

a Linn 13 " " " A. 37 W. 22 " "

80.00 Set a post Corner to Sec. 1 & 12 from which

an Ash 4 in. diam. bears S 11 E 19 links dist. &

an Elm 16 " " " A. 77 W. 22 " "

Land &c as before

North On East Boundary of Sec. 1 T 30 N. R 14 E.

40.00 Set a gr. Sec. post. from which

an Elm 13 in. diam. bears S 33 E 26 links dist. &

a Os 16 " " " A. 83 W 18 " "

80.00 Set post Corner to Towns 30 + 31 North.

Ranges 14 + 15 East. from which

an Elm 22 in. diam. bears S. 31 E. 6 links dist. &

a Hickory 13 " " " A. 50 W. 17 " "

Land & Timber as before

Surveyed by

John McDonald

L. S.

### Subdivisions

North Between Sec. 31 + 32

var 5° 15' E.

22.40 A Hickory 26 in. diam.

40.00 Marked an Elm 15 in. diam. for 1/4 Sec. Cor.

60.64 A Burr Oak 40 in. diam.

80.00 Set a post Corner to Sec. 29. 30. 31 + 32

from which a

Sugar 15 in. diam. bears S 34 E 31 links dist. &

a Beech 18 " " " A. 62 W 9 " "

Land 2<sup>nd</sup> rate. Timber. W. + B. Ash. Sugar.

Linn. Hickory. Poplar. Sycamore. &c.

Undergrowth Spice. &c.

West Between Sec. 30 + 31 On Random

22.50 To Crooked Creek N.E. up the same 7 ches

## T 30 N. R 15 E 2nd Mer. Indiana.

31.50	Road from Ft. Wayne to Defiance.
40.00	Set temporary gr. Sec. post.
80.00	Intersect the West Boundary 20 links South of the Post. Land 2 <sup>nd</sup> rate, Timber, W. + B. Ash, Elm, Beech, Sugar, Syc. Hickory, &c. Undergrowth Spice.

East	Corrected between Sec. 30 + 31
40.00	Set a gr. Sec. post on true line from which a Hickory 8 in. diam. bears S. 12 W. 37 links dis. & a Beech 5 " " " N. 12 E. 21 " "
80.00	To Sec. Corner

North	Between Sec. 29 + 30
1.00	To Crooked Creek 4 chains wide. Course, E.
14.25	A Beech 18 in. diam.
32.00	A Road E + W.
40.00	Set a gr. Sec. post from which a Sugar 15 in. diam. bears S. 23 W. 28 links dis. & a Hickory 30 " " " N. 26 E. 37 " "
80.00	Set post Corner to Sec. 19. 20. 29 + 30 from which a B. Ash 18 in. diam. bears N. 67 E. 23 links dis. & a Burr Oak 20 " " " N. 40 W. 38 " " Land 1 <sup>st</sup> 1/4 mile swampy, 2 <sup>nd</sup> rate. Last 1/4 3 <sup>rd</sup> rate. Timber, B. Ash, Elm, Cottonwood, Maple, Undergrowth, Spice, S. Ash, & young B. Ash.

West	On Random between Sec. 19 + 30
40.00	Set temporary gr. Sec. post.
81.25	Intersect Tenn. line 20 links South of Post. Land, last 3/4 2 <sup>nd</sup> rate, the rest 3 <sup>rd</sup> rate. Timber, Cottonwood + B. Ash.

East	Corrected between Sec. 19 + 20
40.67	Set a gr. Sec. post at aver. dis. from which

31

T 30 N. R 15 E 2nd Mer. Indiana.

a Linn 6 in. diam. bears S. 43 E. 6 links dist. &  
 an Cottonwood 5 in. " N 41 W 19 " "

81.25 To Sec. Corner

North Between Sec. 19 & 20

20.00 To a real B. Ash Swamp. E & W.

40.00 Set a gp. Sec. post in Swamp. from which  
 a Willow 6 in. diam. bears S. 32 W. 17 links dist. &  
 a B. Ash 3 " " " N. 27 E. 12 " "

55.40 A Brushy Swamp Prairie

80.00 Set post in same Corner to Sec. 17 18. 19 & 20  
 from which  
 an Aspin 2 in. diam. bears N. 52 E. 123 links dist. &  
 a Small Mound 3 feet high in Prairie  
 bears S 28 W. 1.16 links dist.  
 Land Covered with Water.

North Between Sec. 17 & 18

30.50 Left the Prairie

40.00 Set a gp. Sec. post. from which  
 a B. Ash 6 in. diam. bears S 11 W. 15 links dist. &  
 a Do 4 " " " S. 70 E. 5 " "

80.00 Set post Corner to Sec. 7 & 8 17 & 18  
 from which

an Elm 15 in. diam. bears S 48 W 35 links dist. &  
 a Do 8 " " " N. 49 E. 30 " "

Land North of Prairie 3<sup>d</sup> rate. Timber  
 B. Ash. Elm. Cottonwood  $\frac{1}{2}$ ,  $\frac{1}{2}$ ,  
 Undergrowth young B. Ash.

West On Ranges between Sec. 7 & 18

40.00 Set a gp. Sec. post. from which (Temp<sup>ly</sup>)

83.60 Intersect the Town line 50 links North of Post.  
 Land 3<sup>d</sup> rate. Timber W. & B. Ash. Linn,  
 Linn. Beech. &c. Undergrowth Spice &  
 B. Ash. &c. &c.



## T 30 N. R 15 E Ind. Mer. Indiana.

East Corrected between Sec. 7 + 8  
 41.83 Set gr. Sec. post at aver dist. from which  
 a B. Ash 15 in. diam. bears S 42 E 16 links dist. &  
 a Do 4 " " " N. 40 W. 6 " "  
 83.66 To Sec. corner

North Between Sec. 7 + 8  
 32.45 A Hyemore 10 in. diam.  
 40.00 Set a gr. Sec. post from which  
 a B. Ash 10 in. diam. bears S 37 W. 17 links dist. &  
 a Burr Oak 36 " " " N. 40 E. 49 " "  
 80.00 Set post corner to Sec. 5. 6. 7 + 8 from which  
 a Beech 14 in. diam. bears S 65 E. 18 links dist.  
 a Do 16 " " " N. 52 W. 32 " "  
 Land 2nd rate. Timber. B. & W. Ash. Beech  
 Elm. Gynn. Hickory. Oak. &c. &c.  
 Undergrowth. Spice. Ash. &c.

West On Random between Sec. 6 + 7  
 40.00 Set Temporary gr. Sec. post.  
 84.64 Intersect Town line at post.  
 Land 2nd rate. Timber. Elm. Beech.  
 B. Ash. Sugar. Hickory. Gynn. &c.  
 Undergrowth. Spice. &c.

East Corrected between Sec. 6 + 7  
 42.32 Set a gr. Sec. post. at aver dist. from which  
 a Beech 26 in. diam. bears S 62 E. 27 links dist. &  
 a Hickory 10 " " " N. 85 W. 17 " "  
 84.64 To Sec. corner

North Between Sec. 5 + 6  
 19.64 A Hickory 15 in. diam.  
 40.00 Set a gr. Sec. post. from which  
 an Elm 14 in. diam. bears S 34 E. 15 links dist. &  
 a Gynn 8 " " " N. 50 W. 24 " "

T 30 N. R 15 E 2<sup>nd</sup> Mer. Indiana. 33

80.58 Intersect the North Boundary 4.90 links East of the Post.

Set post Corner to Sec. 5+6 from which  
an Aspin 14 in. diam. bears S. 17 E. 41 links dist.  
a Do 15 " " " S. 34 W. 33 " "

Land very wet 3<sup>rd</sup> rate. Timber. Elm,  
B. Ash, Cottonwood, Sycamore, Maple, &c, &c,  
Undergrowth Waterbuck, Old Logs.

May 2<sup>nd</sup> 1822

North Between Sec. 32+33

28.90 A Sycamore 60 in. diam.

46.00 Set a gr. Sec. post from which  
a Hickory 26 in. diam. bears S. 8 W. 17 links dist.  
a Burr Oak 15 " " " N. 8 E. 45 " "

80.00 Set a post Corner to Sec. 28. 29 32+33

from which a  
Red Oak 28 in. diam. bears S. 68 E. 59 links dist.  
a W. Oak 12 " " " N. 47 W. 30 " "

Land 2<sup>nd</sup> rate. Timber. W. & B. Ash,  
Elm. Lyncx Beech. Sugar Hickory, &c.

West On Random between Sec. 29+32

1.00 To a Bab Creek 100 links wide, Course N. E.

5.50 To Same 1.00 " " " S. E.

13.00 To Same 1.00 " " " N. E.

40.00 Set a gr. Sec. post (Temporary)

75.00 To Crooked Creek 2.00 N. E. Crossed Bend

79.94 Intersect the N. & S. line at post.

Land 1<sup>st</sup> rate. Timber. W. & B. Walnut,  
Elm. B. & W. Ash, Hickory, W. Oak, &c.

East Corrected between Sec. 29+32

39.97 Set a gr. Sec. post at aver. dist. from which  
a Hickory 18 in. diam. bears S. 61 E. 46 links dist.  
a Hickory 18 " " " N. 59 W. 19 " "

## T 30 N. R 15 E 2nd Mer. Indiana.

79.94 E Sec. Corner

---

North Between Sec. 28 + 29

1.50 To a Bad Creek 100 links wide. Cr. S.E.

4.00 Same " 1.00 " " " S.W.

7.50 Do " 1.00 " " " S.E.

20.06 A Birch 24 in. diam.

38.00 To Crooked Creek 200 links wide. S.E.

40.00 Set a gr. Sec post in same, from which  
a W. Ash 24 in. diam. bears N. 2 W. 62 links dist. &  
a Do 20 " " " N 49 E 27 " "

54.50 At Ft. Wayne Road E + W.

68.60 An Elm 24 in. diam.

80.00 Set a post Corner to Sec. 20 21. 28 + 29 from which  
a Spruce 12 in. diam. bears S 75 E 33 links dist. &  
a B. Ash 8 " " " N. 47 W. 5 " "  
Land 2<sup>nd</sup> rate, Timber, W. + B. Ash Oak,  
Beech. Sugar. Hickory. Spruce. Fir.  
Undergrowth, Spice + P. Ash

---

West On Random between Sec. 20 + 29

19.25 A Spruce - in. diam.

40.00 Set a gr. Sec post (Temporary)

80.00 Intersect the N. + S. line 10 links S. of Post  
Land 1<sup>st</sup> 1/4 mile 2<sup>nd</sup> rate. Last 1/4 3<sup>rd</sup> rate,  
Timber. Elm. B. Ash. Cottonwood &  
Undergrowth Spice + P. Ash. &

---

East Corrected between Sec. 20 + 2940.00 Set a gr. Sec. post on true line from which  
a Birch 24 in. diam. bears S 23 E 36 links dist. &  
an Elm 20 " " " N 29 W 10 " "

80.00 To Sec. Corner

---

North Between Sec. 20 + 21

19.26 A B. Ash 16 in. diam.

T 30 N. R 15 E 2<sup>nd</sup> Mer. Indiana. 35

- 40.00 Set a gr. Sec. post from which  
a Beech 10 in. diam. bears S. 33 E. 14 links dist. &  
a Do 6 " " " N. 55 W. 18 " "
- 58.50 To a Black Ash Swamp
- 80.00 Set post Corner to Sec. 16, 17 20 + 21 from which  
a Red Oak 15 in. diam. bears S. 60 E. 3 links dist. &  
a W. Ash 12 " " " N. 63 W. 14 " "  
Land 1<sup>st</sup>  $\frac{3}{4}$  of Mile 2<sup>nd</sup> rate. The rest not  
notable. Small B. Ash. Willow. Brush. &  
Water 3 feet deep. &c. &c.

- West Between Sec. 17 + 20
- 40.00 Set temporary gr. Sec. post.
- 30.20 To a Brushy Swampy Prairie
- 80.10 Intersect the N + S line 8 links South of Post.  
Land level & wet. & entirely covered with  
Water.

- East Corrected between Sec. 17 + 20
- 40.05 Set a gr. Sec. post at area. dist. from which  
a B. Ash 6 in. diam. bears S. 20 E. 11 links dist. &  
a Do 4 " " " N. 11 W. 13 " "
- 80.10 To Sec. Corner  
May 1<sup>st</sup> 1822.

- North Between Sec. 16 + 17
- 40.00 Set a gr. Sec. post from which  
a B. Ash 10 in. diam. bears S. 70 E. 9 links dist. &  
a Do 8 " " " N. 27 W. 29 " "
- 59.92 A Burr Oak 30 in. diam. & Left the Swamp.
- 80.00 Set a post Corner to Sec. 8, 9, 16 + 17  
from which a  
Lynn 6 in. diam. bears S. 72 E. 20 links dist. &  
a Do 7 " " " N. 69 W. 14 " "  
Land North of the Swamp 2<sup>nd</sup> rate. Timber. W. Ash.  
Beech. Sugar. Lynn &c. &c.



## T 30 N. R. 15 E 2nd Mer. Indian.

West Between Sec. 8 + 17 On Random  
 24.56 A Linn 15 in. diam.  
 40.00 Set temporary gr. Sec. post.  
 80.00 Intersect the N + E line at post.  
 Land  $\frac{1}{2}$  mile 2<sup>nd</sup> rate. Timber. W. + B. Ash,  
 Elm, Beech &c. Last  $\frac{1}{4}$  mile 3<sup>rd</sup> rate.  
 Timber, B. Ash, Elm, Maple.

East Corrected between Sec. 8 + 17  
 40.00 Set a gr. Sec. post on true line from which  
 a Maple 10 in. diam. bears S. 29 W. 35 links dis. &  
 a B. Ash 10 " " " N. 27 E. 3 " "  
 80.00 To Sec. corner

North Between Sec. 8 + 9  
 26.14 A W. Oak 26 in. diam.  
 40.00 Set a gr. Sec. post from which  
 a Linn 12 in. diam. bears S. 28 E. 20 links dis. &  
 a B. Ash 20 " " " N. 28 W. 16 " "  
 62.07 A Beech 15 in. diam.  
 80.00 Set a post corner to Sec. 4. 5. 8 + 9 from which  
 a B. Ash 20 in. diam. bears N. 84 W. 24 links dis. &  
 a Hickory 14 " " " S. 87 E. 22 " "  
 Land 2<sup>nd</sup> rate. Timber. W. + B. Ash, Elm,  
 Linn. Cottonwood, Beech, Sycamore Sugar, &c.

West On Random between Sec. 5 + 8  
 16.80 A Burr Oak 20 in. diam.  
 40.00 Set temporary gr. Sec. post.  
 61.62 A Maple 18 in. diam.  
 80.00 Intersect the N + E line 10 links N. of Post.  
 Land 3<sup>rd</sup> rate. very wet. Timber. B. Ash,  
 Elm, Linn. Sycamore, Cottonwood, Beech  
 & Sugar. Undergrowth, Water Beech, Spice

East Corrected between Sec. 5 + 8

37

T 30 N. R 15 E 2<sup>nd</sup> Mer. Indiana.

40.00 Set a gr. Sec. post from which  
 a Sycamore 6 in. diam. bears S 8<sup>th</sup> W. 5 links dist. &  
 a B. Ash 10 " " " N. 8 E. 13 " "  
 80.00 To Sec. corner

---

North Between Sec. 4 + 5

24.00 A Cottonwood 24 in. diam.  
 40.00 Set a gr. Sec. post from which  
 a B. Ash 6 in. diam. bears S 15<sup>th</sup> W. 18 links dist. &  
 a Do 6 " " " N. 18 E. 15 " "  
 74.50 An Elm 18 in. diam.  
 80.63 Intersect the North Boundary 5.25 links East  
 of the Post.  
 Set post Corner to Sec. 4 + 5 from which  
 a Hickory 18 in. diam. bears S 62<sup>th</sup> W. 9 links dist. &  
 a Spruce 12 " " " S 32 E 16 " "  
 Land 3<sup>rd</sup> rate. Timber. B. Ash, Cottonwood,  
 Elm, Spruce &c. Old Logs &c.  
 Water in abundance; the water moves Eastward.

---

North Between Sec. 33 + 34

22.00 An Elm 26 in. diam.  
 40.00 Set a gr. Sec. post from which  
 an Elm 4 in. diam. bears S 83<sup>th</sup> W. 17 links dist. &  
 a Do 20 " " " N. 55 E. 22 " "  
 80.00 Set a post Corner to Sec. 27. 28. 33 + 34  
 from which  
 an Elm 20 in. diam. bears S 50 E. 8 links dist. &  
 a Do 24 " " " N. 46 W. 30 " "  
 Land wet 3<sup>rd</sup> rate. Timber. B. Ash, Elm,  
 Maple, Sycamore, Cottonwood B. Alder  
 Young B. Ash, & Water Birch

---

West On Random between Sec. 28 + 33

37.00 A Brook 20 links wide. Course North  
 40.00 Set a temporary gr. Sec. post

## T 30 N. R. 15 E 2nd Mer. Indiana

64.20	A Bad Creek 200 links wide. Cr. N.E.
70.50	To the same " " " " S.E.
80.00	Intersect the N + S line 20 links S. of Post. Land 2nd rate. Timber. W. + B. Ash, Elm. Syc. Hickory, Sugar. Beech. &c. Undergrowth Spice. &c.
East	Corrected between Sec. 28 + 33
40.00	Set a gr. Sec post in true line from which a Beech 14 in. diam. bears S 40 W. 16 links dist. & a Sugar 15 " " " " N. 32 E. 25 " "
80.00	To Sec. corner
North	Between Sec. 27 + 28
17.30	An Elm 18 in. diam.
40.00	Set a gr. Sec post from which an Elm 14 in. diam. bears S 14 E. 16 links dist. & a Hickory 30 " " " " N. 33 W. 16 " "
46.80	A Bad Creek 20 links wide. Course, N.E.
57.50	Same " North. and down Stream.
69.00	Left Creek at the junction with Crooked Creek. Course, N.E.
77.00	To St. Wayne Road N.E. + S.W.
80.00	Set a post Corner to Sec. 21, 22, 27 + 28 from which a Beech 18 in. diam. bears S 17 E. 25 links dist. & a B. Ash 12 in. " " " " N. 21 W. 10 " " Land 2nd rate. Timber. Beech. Sugar. Oak. Walnut. Buckeye &c. &c.
West	On Ransom between Sec. 21 + 28
16.00	A Run 20 links wide. Course S.E.
19.00	A Hickory 24 in. diam.
40.00	Set Temporary gr. Sec post.
50.00	A Run 5 links wide. Course South.
58.80	A Red Oak 36 in. diam.

79.84 Intersect N + S line 20 links South of Post.  
Land level & good 2<sup>nd</sup> rate. Timber. Sugar.  
Buck. Lym. Hickory. Oak. &c. &c.

East Connected between Sec. 21 + 22

39.92 Set a gr. Sec. post at a var. dist. from which  
a Beech 8 in. diam. bears S. 40 W. 6 links dist. &  
a Do 18 " " " N. 49 E 6 " "

79.84 To Sec. Corner

North Between Sec. 21 + 22

20.00 A Run 15 links wide. Course, S.E.

16.50 A Hickory 18 in. diam.

10.00 Set a gr. Sec. post from which  
an Elm 12 in. diam. bears S. 68 E. 14 links dist. &  
a Do 30 " " " N. 24 W. 35 " "

62.00 A Maple 24 in. diam.

80.00 Set a post Corner to Sec. 15 16 21 + 22 from which  
a W. Ash 8 in. diam. bears S. 43 W. 14 links dist. &  
a B. Ash 12 " " " N. 63 E. 16 " "  
Land 1<sup>st</sup> 1/2 mile 2<sup>nd</sup> rate. Timber. W. Ash,  
Elm. Lym. Beech. Sugar. Last 1/2 mile  
Covered with water. Timber. Maple. B. Ash,  
Cycamore, Cottonwood, &c.

West Between Sec. 16 + 21 On Random.

20.60 A B. Ash 8 in. diam.

40.00 Set Temporary gr. Sec. post.

69.75 A Maple 20 in. diam.

79.94 Intersect the N + S line 5 links South of Post.  
Land Covered with water 3 feet deep.  
Timber. B. Ash & Maple

East Connected between Sec. 16 + 21

39.97 Set a gr. Sec. post at a var. dist. from which  
a B. Ash 4 in. diam. bears S. 41 W. 3 links dist. &



T 30 N. R 15 E 2<sup>nd</sup> Mer. Indiana.

79.94 a Burr Oak 8 in. diam. bears N. 14 E. 4 links dist.  
To Sec. corner

North Between Sec. 15 & 16

40.00 Set a gr. Sec. post from which  
an Elm 14 in. diam. bears S. 37 E. 36 links dist. &  
a Co 18 " " " N. 41 W. 13 " "

57.95 An Elm 30 in. diam.

80.00 Set a post Corner to Sec. 9. 10. 15 & 16 from which  
a B. Ash 8 in. diam. bears S. 33 W. 24 links dist. &  
an Elm 36 " " " N. 15 E. 20 " "  
Land 3<sup>rd</sup> rate. Timber. W. & B. Ash. Elm.  
Maple. Sycamore. Cottonwood &c &c.  
Undergrowth Water Birch & B. Ash.

West On Random between Sec. 9 & 16

40.00 Set a gr. Sec. post from which (Temp. 2)

45.00 A Whit. birch N. E.

59.50 A Hickory 18 in. diam.

80.00 Intersect the N & S line 6 links North of Post.  
Land rather wet. Timber. Birch. Hickory.  
Sugar. Spruce. Burr Oak &c &c.

East Corrected between Sec. 9 & 16

40.00 Set a gr. Sec. post on true line from which  
a Hickory 18 in. diam. bears S. 68 W. 12 links dist. &  
a B. Ash 8 " " " N. 84 E. 18 " "

80.00 To Sec. corner

North Between Sec. 9 & 10

26.50 A Sycamore 48 in. diam.

40.00 Set a gr. Sec. post from which  
a Burr Oak 16 in. diam. bears S. 62 E. 10 links dist. &  
a Black Ash 14 " " " N. 53 W. 17 " "

80.00 Set a post Corner to Sec. 3 4 9 & 10 from which  
a B. Ash 10 in. diam. bears S. 66 E. 14 links dist. &

T 36 N. R 15 E Ind. Mer. Indiana. 44

a Cottonwood 18 in. diam. bears S. 51 N. 11 links dist.  
Land very wet. B. Ash & Maple from 8  
to 12 in. diam. is the principle timber  
Sycamore. Cottonwood & Aspin. &c. &c.  
Undergrowth Water Birch.

West Between Sec. 4 & 9 On Random.  
33.10 An Elm 24 in. diam.  
40.00 Set a q. Sec. post (Temporary)  
79.65 Intersect the N. & S. line 6 links North of Post.  
Land 3<sup>d</sup> rate. Timber. W. B. Ash Elm. Sycam.  
Sycamore, Beech. Cottonwood, Chagar. &c.

East Corrected between Sec. 4 & 9  
39.32 Set a q. Sec. post at river dist. from which.  
a B. Ash 10 in. diam. bears S. 47 N. 13 links dist.  
a Do 14 " " " N. 37 E. 16 " "  
79.65 To Sec. corner

North Between Sec. 3 & 4  
19.70 A Burr Oak 30 in. diam.  
40.00 Set a q. Sec. post from which  
an Elm 20 in. diam. bears S. 9 E. 6 links dist.  
a Do 15 " " " N. 35 N. 22 " "  
80.70 Intersect the North Boundary &  
Set a post Corner to Sec. 3 & 4 from which  
a B. Ash 18 in. diam. bears S. 17 E. 29 links dist.  
a Burr Oak 24 " " " S. 43 N. 29 " "  
Land wet & water runs East. Timber.  
B. Ash. Elm. Cottonwood. Sycamore. &c.

North Between Sec. 34 & 35  
40.00 Marked a B. Ash for  $\frac{1}{4}$  Sec. corner. 18  
in. diam.  
70.84 A Maple 18 in. diam.  
80.00 Set a post Cor. to Sec. 26 27 34 & 35 from which

T 30 S. R 15 E. T. 1st Mer. Indian

	<p>a Hickory 15 in. diam. bears S 18 E. 32 links dist. &amp;  a Linn 8 " " " N. 9 W. 22 " "  Land 3. rate. Timber. W. &amp; B. Ash, Elm  Lynn. Hickory. &amp;c. &amp;c.</p>
West	On Random between Sec. 27 & 34
27.50	A Shail 2 chains wide
40.00	Set temporary gr. Sec. post.
80.10	Intersect N. & S line at post. Land 3. rate. Timber Beech, Hickory, Lynn, Elm, B. Ash, &c. &c. Undergrowth, Spice. & P. Ash.
East	Corrected between Sec. 27 & 34
40.05	Set a gr. Sec. post at aver. dist. from which a Beech 15 in. diam. bears S 65 W. 38 links dist. & a Do 16 " " " N 65 E 15 " "
80.10	To the corner
East	Between Sec. 26 & 35
→ 11.87	Intersect the State line and Set post in a Run. Course N W. from which a Beech 15 in. diam. bears S 28 W. 56 links dist. & an Elm 28 " " " N 34 W. 70 " "
North	Between Sec. 26 & 27
15.20	A Shail 200 links wide. Course N E.
40.00	Set a gr. Sec. post from which a Burr Oak 18 in. diam. bears S 25 E 26 links dist. & a Hickory 15 " " " N. 53 W. 54 " "
68.95	Crooked Creek 200 links wide, Cr. East.
78.90	To Fort Wayne Road E. & W.
80.00	Set a post corner to Sec. 26 27. 22 & 23 from which a W. Ash 12 in. diam. bears S 25 E. 9 links dist. & a Beech 14 " " " N. 35 W. 19 " "

43

T 30 N. R 15 E 2<sup>nd</sup> Mer. Indiana.

Land 2<sup>nd</sup> rate. Timber. W. + B Ash, Elm. B + W.  
Oak. Beech. Sugar. Walnut. &c.

West On Random between Sec. 22 + 27

21.80 A Hickory 20 in. diam.

40.00 Set a gr. Sec. post (Temporary)

45.00 Fort Wayne Road. N. W.

64.00 Same " S. W.

68.60 A Run 10 links wide. Course, South

79.50 A Dr 15 " " " S. E.

79.80 Intersect Section Corner

Land 2<sup>nd</sup> rate. Timber. W. Ash. Elm. Beech.  
Sugar. Lym. Hickory. &c.

East Connected between Sec. 22 + 27

39.90 Set a gr. Sec. post at an. dis. from which  
a Sugar 10 in. diam. bears N. 23 W. 9 links dist. &  
a Beech 18 " " " S. 63 E. 37 " "

79.80 To Sec. Corner

East Between Sec. 23 + 26

2.50 To Fort Wayne Road S. W.

6.50 A Run 5 links wide. Course South.

13.40 Intersect State line and

Set a post Corner to Sec. 23 + 26 from which  
a Maple 18 in. diam. bears S. 29 W. 3 links dist. &  
an Elm 6 " " " N. 76 W. 19 " "

North Between Sec. 22 + 23

7.00 A Run 10 links wide

15.50 A Hickory 18 in. diam.

23.00 A Chail. Course S. E.

40.00 Set a gr. Sec. post. from which

a Red Oak 10 in. diam. bears S. 10 W. 3 1/4 links dist. &

a Hickory 18 " " " N. 72 E. 27 " "

65.00 A Beech 18 " "



T 30 N. R. 15 E. 2<sup>nd</sup> Mer. Indiana.

80.00 Set a post Corner to Sec. 14. 15. 22 + 23  
from which  
a B. Ash 8 in. diam. bears S 64 E 36 links dist. &  
a Linn 10 " " " N. 77 W. 12 " "  
Land 2<sup>nd</sup> rate. Timber W. + B. Ash,  
Buck. Sugar. Linn. Sycamore &c, &c.

West On Random between Sec. 15 + 22  
40.00 Set temporary or Sec post.  
\*80.20 Intersect the N. + S line 10 links N. of Post  
Land 3<sup>rd</sup> rate. Timber, Buck. Elm. B. Ash  
Hickory, &c, &c. Undergrowth Spice, &c.  
\*56.16 A. W. Ash 26 in. diam.

East Corrected between Sec. 15 + 23  
40.10 Set a gr. Sec. post at aver. dist. from which  
a Linn 14 in. diam. bears S 50 W. 19 links dist. &  
a B. Ash 6 " " " N. 50 E. 30 " "  
80.20 To Sec. Corner.

East Between Sec. 14 + 23  
14 32 Intersect the State line and  
Set post Corner to Sec. 14 + 23 from which  
a B. Ash 10 in. diam. bears S 37 W. 13 links dist. &  
a Do 6 " " " N. 63 W. 24 " "  
Land 3<sup>rd</sup> rate.

North Between Sec. 14 + 15  
31.22 A Hickory 18 in. diam.  
40.00 Set a gr. Sec. post. from which  
a Sycamore 4 in. diam. bears S 64 E. 21 links dist. &  
a Red Oak 15 " " " N. 56 W. 38 " "  
80.00 Set a post Corner to Sec. 10 11. 14 + 15  
from which  
a B. Ash 18 in. diam. bears S 27 W. 11 links dist. &  
an Elm 12 " " " N. 51 E. 6 " "

T 30 N. R 15 E. 2nd Mer. Indiana

45

Land 3<sup>d</sup> rate. Timber. Elm. B. Ash. Maple.  
 Sycamore, Cottonwood. &c. Undergrowth.  
 Water Beech. &c.

West On Random between Sec. 10 & 15

21.68 E - Hickory 18 in. diam.

40.00 Set temporary gr. Sec post.

60.12 A Maple 26 in. diam.

79.82 Intersect A + S line 10 links South of Post.

Land 3<sup>d</sup> rate. very wet. Timber. Elm. Sycam.  
 Elm. Sycam. Beech. Maple, &c. &c.

East Corrected between Sec. 10 & 15.

39.91 Set a gr. Sec post at area dist from which  
 a Hickory 15 in. diam. bears S 31 W. 6 links dist &  
 a B. Ash 6 " " " N. 22 E. 15 " "

79.82 To Sec. corner

East Between Sec. 11 & 14

15.54 Intersect State line and

Set post corner to Sec. 11 & 14 from which  
 a Sycam 10 in. diam. bears S 37 W. 38 links dist &  
 a Hickory 24 " " " N. 50 W. 8 " "  
 Land 3<sup>d</sup> rate.

North Between Sec. 10 & 11

26.62 A Maple 18 in. diam.

40.00 Set a gr. Sec. post from which

a Burr Oak 12 in. diam. bears S 67 E. 2 links dist &  
 a Sycam 10 " " " N. 53 W. 32 " "

62.20 An Elm 18 in. diam.

80.00 Set a post corner to Sec. 2, 3, 10 & 11 from which  
 a B. Ash 8 in. diam. bears S. 14 E. 6 links dist &  
 an Elm 14 " " " N. 16 W. 12 " "

Land very wet. Timber. B. Ash. Elm.  
 Cottonwood Sycamore &c. Undergrowth Water Beech.

## T 30 N. R 15 E. Ind. Mer. Indiana,

West On Random between Sec. 3 & 10  
 16.45 A Hickory 15 in. diam.  
 40.00 Set iron corner gr. Sec post.  
 61.85 A Beech 20 in. diam.  
 80.00 Intersect N & S line at post.  
 Land 2<sup>nd</sup> rate mostly. Timber. Beech,  
 Lymn. Sugar. Hickory. W. & B. Ash. Elm.

East Corrected between Sec. 3 & 10  
 40.00 Set gr. Sec post on true line from which  
 a Red Oak 20 in. diam. bears S. 31 W. 12 links dist.  
 a Lymn 10 " " " N. 44 E. 18 " "  
 80.00 To Section corner

East Between Sec. 2 & 11  
 16.43 Intersect State line and  
 Set a post Corner to Sec. 2 & 11 from which  
 a B. Ash 12 in. diam. bears S. 4 W. 17 links dist.  
 a Do 13 " " " N. 27 W. 19 " "  
 Land 3<sup>rd</sup> rate. quite wet.

North Between Sec. 2 & 3  
 26.68 An Elm 18 in. diam.  
 40.00 Set a gr. Sec post from which  
 a B. Ash 12 in. diam. bears S. 25 E. 13 links dist.  
 a W. Ash 14 " " " N. 40 W. 19 " "  
 64.53 A Burr Oak 14 in. diam.  
 80.37 Intersect the North Boundary and  
 Set post. Corner to Sec. 2 & 3. From which  
 a B. Ash 10 in. diam. bears S. 25 W. 13 links dist.  
 a Do 14 " " " S. 55 E. 6 " "  
 Land very wet. Water hard. Slow Current.  
 Course East. Timber. B. Ash. Cottonwood  
 Maple, Sycamore &c. &c. Undergrowth  
 B. Ash. Alder &c.  
 May 8<sup>th</sup> 1822.

T 30 N R 15 E 2nd Mer. Indiana. <sup>47</sup>

I Certify that the foregoing transcripts of  
the Field Notes of Township No 30 North of  
Range No 15 East of the 2nd Mer. in the State  
of Indiana. has been Compared with the  
original Notes in this Office, and found  
to be Correct.

Surveyor General's Office  
Cincinnati Feb 3 14<sup>th</sup> 1845 }

William Johnston  
Supt. Genl